

江西优科工业材料有限公司 JIANGXI YOUKE INDUSTRIAL MATERIALS CO.,LTD

JIANGXI YOUKE INDUSTRIAL MATERIALS CO.,LTD 地址:江西省吉安市遂川县工业园区东区

Industrial park east area suichuan county jiangxi province, China. 电话:0796–6380508

电话:0796-6380508 传真:0796-6380500

网址:www.jxyoke.com

东莞市优科印刷材料有限公司

DONGGUAN YOUKE PRINTING MATERIALS CO., LTD

地址: 东莞松山湖大学路9号瑞鹰国际科技创新园11栋202-203

Room 202-203, Building 11, Ruiying International Science and

Technology Innovation Park, No. 9 Daxue Road, Songshan Lake, Dongguan.

电话:0769-26623430 传真:0769-26623431

网址:www.dgyoke.com

江西优科工业材料有限公司 东莞市优科印刷材料有限公司







2012年 成立时间 39000 平方 占地面积

40000吨 年生产能力

企业宗旨

优良品质 科学创新

COMPANY INTRODUCTION

公司简介

江西优科工业材料有限公司成立于2012年,位于江西省吉安市遂川县工业园区,占地39000平方米。公司主要从事紫外光固化材料、黏合剂、水性涂料,工业稀释剂的研发与生产销售。现有甲类,丙类化学品生产合成车间共4个,甲类,丙类化学品仓库数个及罐区。主要服务于电子、电池、塑料(胶)、包装印刷、五金、家具等领域。

随着国内外客户的不断需求,为提高公司产品竞争力,更好的服务客户,于2021年在东莞市松山湖新建办公及研发基地。公司海纳百川,广聚英才,汇聚了行业前沿的技术团队。在研发方面,引进美国、德国、日本等国外行业内领先技术支持。

我们秉承"优良品质,科学创新"的宗旨,力求与客户建立长期的、良好的战略伙伴关系,维持产品质量与价格的竞争优势,积极研制绿色,环保产品,以客户为导向,解客户之所需。

Established in 2012, Jiangxi Youke Industrial Materials Co., Ltd. is located in Suichuan County, Ji'an City, Jiangxi Province, China. and covered 39000 m² land. We specialize in the R&D, production and sales of UV curable materials, adhesives, water–based varnish, and industrial diluents and mainly serve the electronics, batteries, plastic, packaging printing, hardware, furniture and other fields. We have four Class A and Class C chemical production and synthesis workshops and tank areas.

With the continuous needs of domestic and abroad customers, in order to enhance the competitiveness of the company's products and better serve our customers. In 2021, We established a new office and R&D base in Songshan Lake, Dongguan City. As a leading company, we have all kinds of talents. In terms of R&D, we introduce leading technical support from the industry in the United States, Germany, Japan and other countries.

We adhere to the tenet of "excellent quality, scientific innovation", and strive to establish long-term and good strategic partnership with customers, maintain the competitive advantage of product quality and price, actively develop green and environmental protection products, and be customer-oriented to solve customer needs.

JIANGXI YOUKE INDUSTRIAL MATERIALS CO.,LTD

COMPANY PRODUCTS

公司产品

纸张表面处理材料 Paper Surface Treatment Materials



印刷工艺 形成不同效果

纸张在经过印刷颜色后,再经过不同工艺的表面处理后形成独特的亮面,哑光面,磨砂,立体,幻彩效果。

After the paper is printed with color and surface treated with different processes to form a unique glossy, matte, frosted, 3D, and colorful effect.




产品编号 Code	产品名称 Product Name	用途 Application	产品特性 Product Feature	物理指标 (目測,T-4杯或旋转粘度计,25℃) Physical indicators (Visually, T-4 cup or rotational viscometer, 25℃)	
				外观 Appearance	黏度 Viscosity
YK-5011	纸张UV光油 Paper U V gloss varnish	纸张上光 Paper varnishing	优异的抗暴裂性能;光泽优异; 固化速度快;性价比高; Excellent anti–crack;Excellent gloss; Fast curing; Cost–effective	浅黄半透明 Light ye ll ow semi trans l ucent	23 – 27S
YK – 5032	纸张UV光油 (印刷联机) Paper UV gloss varnish (inline)	纸张上光 Paper varnishing	优异的抗暴裂性能;光泽优异; 固化速度快;性价比高; Excellent anti-crack;Excellent gloss; Fast curing; Cost-effective	浅黄半透明 Light ye ll ow semi trans l ucent	40 – 45S
YK-6012F	纸张UV哐油 Paper UV matte varnish	纸张上光 Paper varnishing	附着力好,气味低,光泽度低,耐磨 Excellent adhesion; Low odor; Low gloss; Rub–resistance	乳白液体 Milky white liquid	20 – 26S
YK-8012F	水性联机哑油 Water–based inline matte varnish	纸张上光 Paper varnishing	干燥快,光泽度低,耐磨,流平好 Fast drying; Low gloss; Rub–resistance;Excellent leveling	乳白液体 Milky white liquid	50 – 60S
YK – 6013	免打底UV油 Primer–free UV varnish	纸张上光 Paper varnishing	光泽优异 不需要打水性UKmi皆有良好的附着力 固化速度优异 适合书刊上光 对后有优异的抗粘性 彻底消除页面翻开时响声; Excellent gloss No need for water-based UV primer and have Excellent adhesion.	浅黄半透明 Light yellow semi trans l ucent	35 – 40S
YK – 6019	丝印UV光油 Screen printing UV gloss varnish	胶膜(纸张)局部上光 Adhesive Film (Paper) Spot Varnish	光泽优异;良好的附着力;固化速度快; Excellent gloss;Excellent adhesion; Fast curing	浅黄半透明 Light ye ll ow semi trans l ucent	1500–1800CPS
YK – 8011	水性上光油 Water-based gloss varnish	纸张上光 Paper varnishing	光泽优异;良好的附着力;干燥速度快; 耐磨性优异;环保; Excellent gloss;Excellent adhesion; Fast drying Excellent abrasion resistance Environmentally friendly	乳白液体 Milky white l iquid	45 – 50S
YK – 8013	水性吸塑油 Water–based blister varnish	纸张上光 Paper varnishing	光泽优异;良好的附着力;干燥速度快; 耐磨性优异;环保;PET.PVC吸塑性能好; Excellent gloss;Excellent adhesion; Fast drying;Excellent abrasion resistance Environmentally friendly PET and PVC have good blister performance	乳白液体 Milky white liquid	23–27\$
YK – 8016	水性UV底油 Water–based UV primer varnish	纸张UV打底 增加附着力; UV primer on paper increases adhesion	改善UV面油的流平 更能增加UV面油的附着力 光泽等性能 Improving the leveling of UV top varnish and increasing the adhesion,gloss,ect.	乳白液体 Milky white liquid	23–278
YK-8021	水性联机触感油 Water–based inline soft–touch varnish	纸张上光 Paper varnishing	触感好;流平优异; Excellent tactility ;Excellent leveling	乳白液体 Milky white liquid	45 – 50S
YK-8022	水性替塑哑油 Water–based plastic matte varnish	纸张上光 Paper varnishing	耐刮好;耐折优异;流平优异; Excellent scratch–resistant Excellent folding resistance	乳白液体 Milky white liquid	45 – 50S
YK – 8027	水性触感油 (特种纸专用) Water–based soft–touch varnish (Special paper)	纸张上光 Paper varnishing	触感好;流平优异;通透性好; Excellent tactility ;Excellent leveling; Excellent permeability	乳白液体 Milky white liquid	80 – 90S
YK-9011	纸张环保强力吸塑油 Paper environmentally friendly strong blister varnish	PET吸塑 PET b l ister	对难吸纸张及油墨拥 有良好的吸塑性;快干 Excellent blister properties for paper and ink;Fast drying	浅黄透明液体 Light yellow transparent liquid	350–400CPS
YK-9013	磨光吸塑油 Polishing blister varnish	PVC吸塑 PVC blister	良好的吸塑性 良好的磨光脱板性;优良的光泽; Excellent blister properties and polishing release;Excellent gloss	浅黄半透明 Light ye ll ow semi trans l ucent	700-800CPS





薄膜表面处理材料 Film Surface Treatment Materials











薄膜材料加工 形成多种展现效果

各种塑胶粒子通过挤出吹膜在不失去薄膜原有特性,通过特殊的化学材料处理后,以各种神奇的形式来展现。

Various plastic particles are extruded and blown into films without losing the original properties of the film. After being treated with special chemical materials, they can be presented in various magical forms.

产品编号 Code	产品名称 Product Name	用途 Application	产品特性 Product Feature	物理指标 (目测,T−4杯或旋转粘度计,25˚C) Physical indicators (Visually, T−4 cup or rotational viscometer, 25˚C)	
				外观 Appearance	黏度 Viscosity
YK-6061	BOPP防刮UV光油 BOPP anti-scratch UV glossvarnish	光膜防刮 Glossy film anti–scratch	耐刮,附着力强 Scratch resistant;Exce ll ent adhesion	透明液体 Transparent l iquid	20 – 25S
YK-6061F	BOPP防刮UV哑油 BOPP anti-scratch UV matte varnish	哑膜防刮 Matte film anti–scratch	耐刮,附着力强 Scratch resistant;Exce ll ent adhesion	哑光浑浊液体 Matte cloudy liquid	20–258
YK-6063	薄膜转移UV油 Film transfer UV varnish	哑膜防刮 Matte film anti–scratch	耐刮,附着力强 Scratch resistant;Exce ll ent adhesion	透明液体 Transparent l iquid	20 – 25S
YK-6064	猫眼UV油 Cat eye UV varnish	猫眼定位膜 Cat eye positioning fi l m	耐刮,转移清晰,附着力强 Scratch resistant;Clear transfer Excellent adhesion	透明液体 Transparent l iquid	35 – 45S
YK-6073	防污UV光油 Anti–fouling UV gloss varnish	PETG,GAG涂布 PETG and GAG coating	耐刮,抗污,手感好,附着力强 Scratch resistant;Anti-fouling Excellent tactility;Excellent adhesion	透明液体 Transparent l iquid	20 – 25S
YK-6074	肤感UV油 Skin–feel UV varnish	PETG,GAG涂布 PETG and GAG coating	耐刮,手感好,附着力强 Scratch resistant Excellent tactility;Excellent adhesion	半透明液体 Translucent liquid	15 – 18S
YK-6078	可拉伸肤感UV油 Stretchable skin–feel UV varnish	PVC/PET涂布 PVC/PET coating	可拉伸(吸塑),手感好,附着力强, Stretchable(Blister) Excellent tactility;Excellent adhesion	半透明液体 Translucent liquid	15 – 18S
YK-6211F	喷绘离型UV哑油 Inkjet printing release UV matte varnish	喷绘离型底涂 Inkjet printing release primer coating	哑度好,耐剂,耐溶剂,剥离好 Excellent matte;Scratch resistant Solvent resistant;Excellent release	哑光浑浊液体 Matte cloudy liquid	20 – 25S
YK-7301	UV贴合胶 UV laminating adhesive	PET,PVC贴合 PET and PVC lamination	固化快,點力强 Fast curing;Exce ll ent adhesion	透明液体 Transparent liquid	75 – 80S
YK-7601	PUR粘合胶 PUR hot me l t adhesive	PETG/GAG 与木板粘合 PETG/GAG Iaminate to wood	粘结强度高,耐水,耐寒,耐热 High bond strength;water resistance cold resistance;Heat resistance	浅黄固体 Light ye ll ow solid	/
YK-8020	水性覆膜胶 Water-based lamination adhesive	BOPP与纸复合 BOPP lamination to paper	干燥快,黏力强 Fast drying;Exce ll ent adhesion	乳白液体 Milky white liquid	30 – 35S
YK-8025	BOPP薄膜触感油 BOPP film soft–touch varnish	BOPP涂布 BOPP coating	干燥快,绒感强,通透度好 Fast drying;velvety feel Exce ll ent permeability	乳白液体 Milky white liquid	50 – 60S
YK-8026	水性清漆 Water-based varnish	金银卡打底 增加附着力; Gold and silver card base to increase adhesion	改善UV画油的流平 更能增加UV面油的附着力 光泽等性能优异的抗爆线性; Improving the leveling of UV top varnish and increasing the anti crack performance to adhesion,gloss, ect.	乳白液体 Milky white liquid	18 – 20S
YK-8231	水性吸墨油 water based absorbing ink varnish	喷绘吸墨用 For painting and absorbing ink	颜色鲜艳,不溢色 Bright colors;No color overflow	乳白液体 Milky white liquid	35 – 40S
YK – 9501F	凹印哑油 Gravure matte varnish	PP/PET凹印上光 PP/PET gravure varnishing	哑度极低,耐刮,附着力好,无苯无酮 Extremely low matte Scratch resistant Excellent adhesion Benzene⊸free; Ketone–free	乳白液体 Milky whiteliquid	25 – 30S




电子化学品 Electronic chemicals



电子化学品 电子领域应用

科技改变生活,创新引领未来;特种电子化学品,以其独特的性能,颠覆人们对化学品在 电子领域的应用。

Technology changes life, and innovation leads the future; special electronic chemicals, with their unique properties, subvert people's application of chemicals in the electronic field.









产品编号 Code	产品名称 Product Name	用途 Application	产品特性 Product Feature	物理指标 (目测,T–4杯或旋转粘度计,25℃) Physical indicators (Visually, T–4 cup or rotational viscometer, 25℃)	
				外观 Appearance	黏度 Viscosity
YK – 6080	转移胶 Transfer adhesive	PET纹理转移 PET texture transfer	耐刮,耐折,快干 Scratch resistant;Folding resistant Fast drying	浅黄透明液体 Light ye ll ow transparent l iquid	15 – 18S
YK – 6090	转移胶 Transfer adhesive	PET纹理转移 PET texture transfer	耐刮,耐折,快干,抗污 Scratch resistant;Folding resistant Fast drying; Anti–fouling	浅黄透明液体 Light ye ll ow transparent l iquid	40 – 45S
YK-7701	丙烯酸不干胶 Acrylic self— adhesive	PET保护膜涂布 PET protective film coating	中粘,不掉胶,耐高温 Medium viscosity;No peeling High temperature resistance	浅黄透明液体 Light ye ll ow transparent l iquid	1500–2000CPS
YK – 9300	电子灌封胶 Electronic potting adhesive	FPC元件灌封 FPC component encapsulation	固化快,电阻大 Fast curing;high resistance	浅黄膏状流体 Light ye ll ow paste fluid	8-10万CPS
YK - 9400	紫外光固化三防漆 UV-curable three-anti paint	线路板三防 PCB three-proof coating	耐水,耐热,耐寒,防油污 water resistance; heat resistance cold resistance oi⊢resistance	浅黄透明液体 Light yellow transparent liquid	1500–2000CPS



COMPANY INTRODUCTION

企业文化

品质政策 Quality Policy 诚 信 经 营 Honest management

务 实 创 新 Practical-innovation

> 着茶精 Keep improving

以 人 为 本

People-oriented

追 求 卓 越 Pursuit of excellence

成果共享

Achievment results sharing



企业愿景 Corporate Vision

为国内外客户提供最优质的服务

To provide the best services to domestic and foreign customers

引进研发最先进的技术,提升品质

With the most advanced technology to improve quality

培养、引进行业优秀人才,打造卓越团队 To train outstanding talents, Build an excellent team



12

企业荣誉 Awards and Certificate







优科自成立以来,一直致力于提供高质量的产品和优质的服务,得到了客户的一致好评和信任。我们荣获多项行业荣誉和证书,包括ISO9001质量管理体系认证、ISO14001环境管理体系认证、ISO45001职业健康安全管理体系认证;已被评为: "高新技术企业"、"专精特新企业"等。这些荣誉和证书是对我们不懈努力和专业精神的肯定,也是我们持续发展的动力和保障。我们将继续秉承诚信经营、质量第一的原则,为客户提供更加优质的产品和服务。

Youke has been committed to providing high–quality products and excellent services, and has received unanimous praise and trust from customers. We have passed the ISO9001 quality management system certification, ISO14001 environmental management system certification, ISO45001 occupational health and safety management system certification, and have been rated as a "high–tech enterprise". These honors and certificates are an affirmation of our unremitting efforts and professionalism, and are also the driving force and guarantee for our continued development. We will continue to adhere to the principles of honest management and quality first to provide customers with better products and services.

创新成果 Innovative Achievements



















截止2024年5月,优科拥有授权发明专利15项,实新专利47项;外观专利2项,PCT专利4项、版权10项

As of May 2024, Youke holds: 15 authorized invention patents, 47 utility model palents, 2 design patents 4 PCT patants, 10 copyrights.

工西优科工业材料有限公司



工程研发 R&D



公司乘承自主研发为主,坚持不断创新和自我提高。技术的创新推动了企业产业化的不断升级,以技术求创新,以改革促发展,我们依靠强大的科研开发能力,研制出一系列国内外领先的产品。

我们凭借雄厚的综合实力,为每一个客户提供热情、专业的服务、并注重在各个领域用先进的科技力量,深受市场欢迎!

We adhere to independent research and development, insist on continuous innovation & improvement. Seeking innovation through technology, Promoting development through reform. We have developed a series of leading products for China and global market by our strong R & D team.

With strong comprehensive strength, we provide professional service to all of our customers in the world, and we focus on hi–tech in various fields, which is very appreciated by our global customers.

实验室 / 设备 Laboratory/Equipment





我们的研发基地和实验室,可保证公司各系列产品可靠性试验要求,公司各系列产品同时辅以经由第三方权威 机构提供的检测鉴定。

Our R&D base and laboratory can ensure the reliability test requirements of the company's various product series. The company's various product series are also supplemented by testing and identification provided by third–party authoritative organizations.





品质保证 Quality Assurance

公司建立了一套完整的质量保证和质量管理体系,确保所有产品符合国际标准和客户要求。我们注重细节,从原材料采购到生产制造,每个环节都经过严格的质量控制。我们承诺只提供最优质的产品给客户。





Company has established a complete quality assurance and quality management system to ensure that all products comply with international standards and customer requirements. We pay attention to details, from raw material procurement to production and manufacturing, every link is subject to strict quality control. We promise to provide only the highest quality products to our customers.

生产能力 Manufacturing

我们拥有先进的设备和技术,经验丰富的员工团队,以及高效的管理体系。强大的生产能力,能够满足您的 各种需求。



We have advanced equipment and technology, an experienced staff team, and an efficient management system. Strong production capacity can meet your various needs.





投递能力 Delivery




我们拥有强大的生产能力、高效的物流体系和专业的服务团队,能够确保您的订单快速、准确地送到您 手中。

We have strong production capacity, efficient logistics system and professional service team to ensure that your orders are delivered to you quickly and accurately.



业务布局 Business Map



公司总部:江西优科工业材料有限公司 Headquarter:JIANGXI YOUKE INDUSTRIAL MATERIALS CO., LTD

地址:江西省吉安市遂川县工业园区东区

Address: Industrial Park East Area Suichuan County Jiangxi Province, China.

电话TEL:0796-6380508 传真Fax: 0796-6380500 网址Web: www.jxyoke.com

子公司:东莞市优科印刷材料有限公司 Subsidiaries:DONGGUAN YOUKE PRINTING MATERIALS CO.,LTD 地址:东莞松山湖大学路9号瑞鹰国际科技创新园11栋202-203 Address: Room 202, Building 11, Ruiying International Science and Technology Innovation Park, No. 9 Daxue Road, Songshan Lake Park, Dongguan City, Guangdong Province 电话TEL:0769-26623430 传真Fax: 0769-26623431 网址Web: www.dgyoke.com

国际办事处International offices

Attn: Ada Liu

Wechat/Whatsapp: +86 19967708011